

AMENDMENTS TO THE CLAIMS

This listing of claims will replace all prior versions and listings of claims in the application:

LISTING OF CLAIMS:

1. (currently amended): A refrigerator, comprising:

a body provided with storage compartments;

a door hingedly coupled to the body ~~and selectively opening/closing the storage~~
~~compartments; and~~

a door-handle assembly mounted ~~[[in]]~~ to a front of the door~~[[,]]~~;

wherein opening the door allows access to the storage compartments,

wherein closing the door prevents access to the storage compartments,

wherein the door-handle assembly ~~comprising~~ comprises:

a door handle ~~formed with; and~~

a supporting bracket installed in the front of the door;

wherein the door handle comprises:

a bracket-accommodating portion; and

a first coupling portion adjacent to the bracket-accommodating portion; ~~[[and a]]~~

wherein the supporting bracket ~~installed in the front of the door to be~~ comprises a second
coupling portion,

wherein the already installed supporting bracket is accommodated in the bracket-
accommodating portion, and

wherein the ~~having~~ a second coupling portion is then locked to the first coupling portion
by sliding the door handle.

2. (currently amended): The refrigerator according to claim 1, wherein the supporting
bracket is formed with supporters at opposite ends thereof, and

wherein the door handle is formed with a sliding guide to support the supporters while
sliding.

3. (original): The refrigerator according to claim 1, wherein the first coupling portion
and the second coupling portion are hook-locked to each other.

4. (currently amended): The refrigerator according to claim 3, wherein the door handle
further comprises:

a front cover; and

a rear cover detachably coupled with the front cover ~~and formed with;~~

wherein the rear cover comprises the bracket-accommodating portion, the first coupling
portion, and ~~[[the]]~~ a sliding guide.

5. (currently amended): The refrigerator according to claim 4, further comprising:

a reinforcing cover detachably connected onto the rear cover[[,]];

wherein the reinforcing cover is formed with a separation hole at a position
corresponding to the first coupling portion of the rear cover.
6. (original): The refrigerator according to claim 2, wherein the first coupling portion
and the second coupling portion are hook-locked to each other.
7. (currently amended): The refrigerator according to claim 6, wherein the door handle
further comprises:

a front cover; and

a rear cover detachably coupled with the front cover ~~and formed with~~;

wherein the rear cover comprises the bracket-accommodating portion, the first coupling
portion, and the sliding guide.
8. (currently amended): The refrigerator according to claim 7, further comprising:

a reinforcing cover detachably connected onto the rear cover[[,]];

wherein the reinforcing cover is formed with a separation hole at a position
corresponding to the first coupling portion of the rear cover.